



MILANO

WALL MIXER

Installation & Owner's Guide

FINISHES IN THIS GUIDE

MIL-WM-C	Chrome
MIL-WM-MB	Matte Black
MIL-WM-BN	Brushed Nickel
MIL-WM-GM	Brushed Gunmetal
MIL-WM-AB	Antique Brass
MIL-WM-BB	Brushed Brass

Read this guide before you begin.

This product must be installed by a licensed plumber, to the NZ Building Code (G12).

IVM-MAN-MWM-NZ-01

Revision A · October 2026 · New Zealand edition

invoguemirrors.co.nz

Safety and compliance

Read this page in full before you begin. Share it with your installer.

▲ LICENSED PLUMBER

This product must be installed by a licensed plumber. All work must comply with the NZ Building Code (G12). This is a general guide; your installer may adapt the method to suit your site.

Before you begin

Unpack the mixer and check it for damage and missing parts. Confirm this is the model and finish you ordered.

Flush the pipework

Flush the supply pipes before the valve is connected, to clear any debris that could damage the cartridge.

Set the depth first

The valve depth decides how the plates and lever finish against the wall. Set it before the wall is lined and tiled.

Water pressure

The mixer is rated for **50–800 kPa**. If your supply is above 500 kPa, your plumber will fit a pressure-limiting valve.

Water temperature

Hot water supply between **5 and 80 °C**.

Keep the parts


Keep the plates, lever and Allen key safe until the wall is finished.

TEST BEFORE YOU FINISH

Test fully for leaks before you tile, line or finish anything that would make the connections hard to reach. We can't cover the cost of removing a product that was not tested before finishing work.

Your Milano

A wall-mounted mixer that controls a shower, bath spout or hand shower from one lever. All dimensions in millimetres.



SPECIFICATION

Wall plate	Ø65 mm
Valve depth in wall	45-70 mm
Lever	115 mm
Cartridge	Citec ceramic
Body	DZR brass
WaterMark licence	WM-022467 · AS 3718

INSTALLATION DATA

Mounting	In-wall valve
Valve connections	3 × ½" BSP (hot, cold and outlet)
Wall recess	80 × 80 mm
Wall hole	Ø50 mm
Finished depth	45-70 mm
Working pressure	50-800 kPa (factory rating)
Water temperature	5-80 °C
Installation	Licensed plumber, to the NZ Building Code (G12)

Planning

Check these with your installer before anything is cut or fixed.

Valve depth

The valve sits so the finished wall face is **45–70 mm** in front of it.

Recess

Allow an **80 × 80 mm** recess for the valve body.

Wall hole

One **Ø50 mm** hole through the wall lining.

Outlet


One ½" BSP outlet to your shower, spout or hand shower (sold separately).

HOT AND COLD

Hot connects on the **left** and cold on the **right**, viewed from the front.


Installation

The steps follow the manufacturer's method.




1 Install the valve

Position the valve and connect the hot and cold supply pipes, and the pipework to the outlet.




2 Check opening and depth

Check the wall opening and the valve depth against the installation data, so the plates finish flush.



3 Fit the plates

Once the wall is finished, fit the cover plates securely.



4 Fit the lever

Fit the lever and tighten it with the Allen key provided. Test the mixer and every joint for leaks.

Using and caring for your Milano

The lever

The lever controls the flow and the temperature.

Cleaning

Clean with warm soapy water and a **soft cloth** only.
Rinse and dry to keep the finish looking its best.

Never use

Cleaners containing acids (including vinegar), chlorine or caustic soda, abrasive powders, scourers or brushes. They damage the finish and are not covered by the warranty.

TROUBLESHOOTING

The lever feels loose	Re-tighten the grub screw with the Allen key.
Flow is low	Check the outlet is clean and free of debris.

Still not right? Email us with your order number (page 07).

Warranty and support

Tap body	15 years
Cartridges, valves & aerators	7 years
Surface finish	3 years
Washers & O-rings	2 years

Parts warranty for home use, original purchaser and installation, proof of purchase required. Full terms at invoguemirrors.co.nz/pages/warranty. In addition to your rights under the Consumer Guarantees Act 1993.

QUESTIONS OR A CLAIM

Email us with your order number and a photo of the issue.
info@invoguemirrors.co.nz
Full warranty terms:
invoguemirrors.co.nz/pages/warranty

YOUR RECORD

Finish and product code

Date purchased

Order number

Installed by

Installation date